

[®]
DARKY

A PRODUCT OF DECOSPAN.


It's good to live on wood

Nothing beats real wood

PARKY®

with a wear layer of 0.6 mm oak


- ✓ Real Wood
- ✓ Every board has a unique character
- ✓ Sustainable and recyclable
- ✓ Natural warmth of real wood
- ✓ Waterproof surface
- ✓ Easy installation and maintenance
- ✓ High impact resistance
- ✓ Approved for intensive commercial applications up to class 33 rating (comparable to AC5)



It's good to live on wood


VINYL

- ✗ Wood imitation
- ✗ Repetition of pattern
- ✗ Not sustainable nor recyclable
- ✗ Cold feeling in comparison with real wood
- ✓ Fully waterproof
- ✓ Easy installation and maintenance
- ✓ High impact resistance
- ✓ Some floors are approved for very intensive commercial applications up to AC6 rating (comparable to class 34)



LAMINATE



- ✗ Wood imitation
- ✗ Repetition of pattern
- ✓ Recyclable
- ✗ Cold feeling in comparison with real wood
- ✓ Top of the line laminate floors have a water resistant surface
- ✓ Easy installation and maintenance
- ✓ High impact resistance
- ✓ Some floors are approved for very intensive commercial applications up to AC6 rating (comparable to class 34)



Unbeatable impact resistance



Tested with 1500 Newton = ± 150kg

PARKY®
with a wear layer of 0.6 mm oak



- ✓ Highest impact resistance
- ✓ Strong HDF core
- ✓ Premium wood grade
- ✓ Most ecological choice
- ✓ Best price-quality ratio for a wooden floor
- ✗ Cannot be re-sanded




PARKY®
with a wear layer of 2 mm oak






- ✗ Impacts up to 2 mm possible
- ✓ Strong HDF core
- ✓ Natural wood character
- ✗ Premium wood grade not available, only select and rustic grades
- ✓ Can be re-sanded once

ENGINEERED WOOD FLOORING

with a wear layer of 3.2 mm oak on HDF and PINE



- ✗ Impacts up to 3.2 mm possible
- ✓ Strong HDF core
- ✓ Natural wood character
- ✗ Premium wood grade not available, select in limited quantity
- ✓ Can be re-sanded twice



- ✗ Lowest impact resistance, impacts deeper than 3.2 mm possible
- ✗ Soft pine core, not as stable as HDF
- ✓ Natural wood character
- ✗ Premium wood grade not available, select in limited quantity
- ✓ Can be re-sanded twice

It's good to live on wood



More information, contact:

Decospan nv
Industriezone Grenslan
Lageweg 33
8930 Menen - Belgium
tel +32 56 52 88 49
info@par-ky.com

www.par-ky.com



**Proudly
made in
Belgium**

© Decospan 2020 - Nothing from this tool may be reproduced without written prior permission. Please note that the information in this tool may be outdated and a new version may already have been issued. That is why we recommend you to always consult our website to download the most recent version. Decospan is committed to the continuous improvement of its products and services, therefor the actual products may differ from the products and pictures in this tool. Decospan disclaims any liability pursuant to the variations that may occur between the information, products and pictures in this brochure and the actual products. All content in this brochure is for information purposes only and no rights can be obtained therefrom. Wood created by nature may vary in colour and structure. The pictures and samples of different wood species and surface finishings in this sample tool are only indicative and not binding for future deliveries. Note that the actual appearance and color variations of a real wood floor are only visible in a real setup. We refer to www.par-ky.com for more information and images of applications.

a product of
DECOSPAN®
Wood Solutions